

BIOLOGY PRACTICALS P530/3 3hrs

Abert Katumwesigye of
BUT/CHM.
BSc (Edu)
welcome 2018.

The paper consist of 3 Numbers,
No one; Dissection — Cockroach.
— Toad.
— Rat.

No Two; physiological work of Food tests; Heat influence
enzymatic reactions.

No Three; Classification; plant anatomy (flowers); insects;
Microscopy;

Need - Sharp pencil; Dissection Kit; white book;
- Proper Knowledge of theory;

COCKROACH:

- 1 You are provided with specimen Q which is freshly killed;
a) Classify the specimen as far as you can;

Soln:

Kingdom - Animalia; ✓
phylum - Arthropoda; ✓
Class - Insecta; ✓
order - Dictyoptera; ✓

Family - Blattellidae; ✓
Genus - Periplaneta; ✓
Species - P americana; ✓

b) state the features that are characteristic to/that make specimen
Q belong to.

i) phylum Arthropoda.

Segmented body; ✓ Exo-skeleton; ✓ jointed limbs/appendages; ✓
(wings)

ii) Class insecta

Three main body parts; ✓

Three pairs of jointed legs; ✓

Pair of antennae; ✓

Thorax has three segments/parts; ✓ — prothorax

pair of compound eyes;

meso-thorax
meta-thorax

III, Order Dictyoptera

- Chewing mouth parts;
- Anal cerci;
- Antennae are long thread-like;

IV Family Blattellidae

- Long; flat coxa at the roots of the legs;

V Genus: periplaneta

- Possession of wing in both sexes;

Note: Viewing of the specimen

- Anterior - Front part
- Posterior - Behind part
- Lateral - side wide
- Dorsal - The upper part
- Ventral - The lower part

- Left of specimen; when the ventral view is upper most, it is your right;
- The left of specimen when the dorsal view is upper most, is your left;

C). Turn the specimen when dorsal side uppermost and examine the wings when pulled outwards; Describe the structure of

i) outer wings;

ii) inner wings;

soln:

outer wings - long; narrow; hard; straight; net-venation;


Function:

protects the inner wings; protects body against injuries;


Inner wings; Broad; Folded; Membranous; Net-veined;

A drawing ^{showing} of the exterior wing of specimen R ✓

03



A drawing ^{showing} of inner wing of specimen R.



Abert

Note: The label lines must be horizontal and drawn with a ruler.

2a) You are provided with specimen R;

i) Examine the hind limb and describe how it is adapted to its function (3mes).

Soln:-


- Spines for defence; / for moving on rough surface; ✓
- Long enough; for propulsive force; ✓
- Jointed for flexibility during movement; ✓
- Granular pad / arolium; for moving on smooth surface; ✓
- Large coxa; for fast locomotion / running; ✓
- Dull coloured for camouflage; ✓
- Claws for firm grip on rough surface; ✓

ant 03

b) Carefully cut and remove the right hind limb of specimen R when placed, dorsal side uppermost; (5mes)


Soln:-

A drawing ^{showing} of the right hind limb of specimen R when placed dorsal side upper most;



C) Cut off the pre-tarsus from the hind limb of specimen R. Observe it under a low power microscope; Draw and label the pre-tarsus and its associated structures;

A drawing ^{showing} of the pre-tarsus and its associated structures of specimen R.



D) How do the structures observed in C, above, suitable to enable the pre-tarsus carry out its functions; (3 marks)
 It has pointed/curved claws for firm grip on rough surface;
 Has arolium/glandular pad; for secretion of adhesive

- sticky substance to allow grip on smooth/slippery surface;
 - Has pointed spines; for defence/increase grip;

Q3. You are provided with specimen M.

a) With the help of a hand lens, examine the head of the specimen. Using any four observable features on the head; explain how each of them enables the animal to survive in its habitat (4 marks).

soln.

- pair of antennae; that are long for sensitivity;
- Compound eye; are large; curved outwards for wide view;
- Mandibles; sharp for cutting/crushing food;
- maxillary palp; 2 are long; to reach out for food;
- labial palp } are hairy for sensitivity;
 are segmented for flexibility to push food into the mouth;
- Labium/lip - large; curved; to prevent food from falling out of the mouth;


b) View the anterior part of the head using a hand lens; draw and label; (8 marks) (11 names)

soln.

A drawing ^{showing} of anterior part of the head of specimen M

T - 1/2
 M - 1/2
 C - 1/2
 N - 1/2
 D - 4 1/2
 L - 4 1/2
 AV - 1/2

11 1/2 max.




X 5-15

X 7

2) Carefully cut off the whole left maxilla & observe using a hand lens. Draw and label. (2 mcs)

Soln. showing whole
A drawing of the left maxilla of specimen M when placed ventrally side up




3) Give three adaptations of the maxilla to its function. (4 mcs)

- Soln.
- Hairy; for increasing sensitivity ✓
 - Jointed for flexibility when feeling ✓
 - Sharp edges for cutting food ✓
 - Long palp for holding food ✓
 - Hooked galea for holding food ✓

4) Cut and examine the tarsus of the hind limb of specimen M under low power microscope. Draw and label the tarsus with its associated structures. (5 mcs)


Soln. showing
A drawing of the tarsus of the hind limb of specimen M with its associated structures



You are provided with specimen M.


- Pin the specimen M dorsal side uppermost and cut off its wings;
 i) Draw and label the structures of the head and thorax excluding the limbs; (8 marks)

Soln:
 A drawing ^{showing} of the structures of the head and thorax excluding the limbs of specimen M from the dorsal side without wings;




- ii) Lift the last abdominal tergum with forceps, and cut it off.
 Draw and label the observed structures on the last segment;

Soln:
 A drawing ^{showing} of the structures on the last segment of specimen M
 If male;



If female:



T - 1/2
 M - 1/2
 O - 1/2
 N - 1/2
 D - 07 max
 L - 07 max
24

- iii) From the observed structures in ii) above, state with reasons the sex of the specimen;


If female sex:
 - gonapophysis
 - Blunt ended gonapophysis;
 Even segments of antennae;
 Broad abdomen;

allows for female

- if male sex. — anal style; ✓
 — sharp/pointed gonapophysis; ✓
 — Narrow abdomen; ✓
 Uneven segments of antennae;

4. You are provided with specimen Q which is freshly killed. g, pin the specimen with dorsal side uppermost. Dissect along the left lateral line of the abdomen. Display the dorsal cuticle and clear any fat tissue, without displacing any other structures, draw and label your dissection. (17 marks)


Soln. ^{showing} (ventral and dorsal)
 A drawing of structures exposed on abdominal cuticles of specimen Q without displacing any other structures;



b) By further dissection cut and remove the whole alimentary canal to clearly display the structures on the ventral cuticle. Draw and label the structures associated with the ventral cuticle; anterior to the last abdominal segment. (13 marks)

Soln.

A drawing ^{showing} of the structures on the ventral cuticle of specimen Q anterior to the last abdominal segment without the alimentary canal;




IP = if alimentary canal included testes; vas. deferens; ignore; white salivary apparatus; ignore; Any structure on last abdominal segment drawn & labeled head or any of its parts drawn & labeled.

5, You are provided with specimen Q.


a, Dissect the specimen along the right lateral line of the abdomen. Displace the dorsal cuticle and clear any fat tissue. Gently displace the alimentary canal to the right of the specimen. Draw and label the exposed digestive system and structures associated with the sternum, anterior to last abdominal segment. (18 marks)

soln:


A drawing ^{showing} of the digestive system and the structures associated with the sternum anterior to the last abdominal segment with the alimentary canal displaced to the right of specimen Q.



Note.
A drawing showing the Female reproductive system of specimen Q.



X 4
A drawing showing the male reproductive system of specimen Q




(dorsal side uppermost)

11

- b, Dissect the specimen along the left lateral line of the abdomen; Displace the tergum; cut out the alimentary canal remove any excess fat tissue to display the structures of the sternum and tergum. Draw and label.

Soln.


A drawing ^{showing} of specimen A showing structures on the abdominal sternum and tergum with the alimentary canal cut out: ✓



- Q₂. You are provided with specimen A;
- Give any five observable structural adaptations for its mode of life (5 marks)
 - Basing on external features, Identify its sex (1 mark)
 - Draw and label the features that have enabled you to identify its sex (2 marks)

Soln.

A drawing ^{showing} of features that identify the sex of specimen A:




D-6
 L-6
 M-6
 T-7
 N-37
 O-37
 +3

12

d) Carefully remove the wings and draw the dorsal view of the specimen. (H₂Sm₂)
 and label
 A drawing ^{showing} of the dorsal view of specimen A without wings.

D - 5/2
 L - 5/2
 M - 7
 T - 7
 N - 7
 O - 7
15 max




X 2 ✓

e) Dissect the specimen to display the alimentary canal and its accessory structures; Also display the heart and its associated muscles. Display the alimentary canal to the right. Draw and label the displayed parts;

soln.

A drawing ^{showing} of the parts of alimentary canal displayed to the right and its ^{accessory} structures; and the heart and its associated muscles of specimen A.

Abert



You are provided with specimen K.
 Qn. a) cut off the head of the specimen.

13

Carefully cut off the labium and one maxilla, observe the respective labium and maxilla under low power objective lens of a microscope.

Compare the suitability of the observed structures in relation to their functions (5ms)

soln.

Both have jointed palps for flexibility; to hold food; ✓

Both are hairy to increase sensitivity / for tasting food; ✓

Have long palps for grabbing food at a distance; ✓

Both have sharp parts (glossa/lacina) for cutting food; ✓

Have hooded structures (paraglossa/galea) for holding food; ✓

Maxillary palp is longer than labial palp to grab food at far distant than labial palp; ✓ (only 05)


b) Pin the specimen with dorsal side up;

i) Dissect the specimen along the left lateral line of the abdomen and thorax. Displace the dorsal cuticle and clear any fat tissue. Displace the alimentary canal to the left.

Draw and label the alimentary canal up to the point of absorption of digested food and all the structures associated with the sternum, anterior to the last abdominal segment; (19ms)

soln.

Drawing ^{showing} the alimentary canal up to the point of absorption of digested food displaced to the left and all the structures associated with the sternum, anterior to the last abdominal segment of specimen K.



c) By further dissecting, cut out the tracheal trunk from the specimen. Observe it under low power of a microscope ¹⁵

i) Describe its structure; (02 mcs)

It is ringed / formed by ringed structures; ✓

It is hollow / tubular; ✓

It is long; ✓

any 2

ii) What is the significance of your observation in (ci) above to the specimen? (02 mcs)

Ringed to keep it open for passage of respiratory gases; ✓

Hollow / tubular to allow passage of respiratory gases; ✓

long to convey / reach respiratory tissues at far far distance; ✓

any 02

Note:

Adaptations of antennae to the habitat; (02 mcs)

- long to feel / sense at a distance; ✓

- segmented / jointed for flexibility; ✓ / to ease movement (in all directions); ✓

- Tapering to reduce weight to ease movement; ✓

- Thin / slender to ease movement; ✓


about

Q. You are provided with specimen G.

a) Examine the last tergum of the specimen from the ventral view

i) Draw and label. (06 mcs)

Drawing of specimen structures on the last tergum of specimen G from the ventral view;



x2-x6,

NA
If any other structure labelled
IL if only sternum shown
- whole specimen shown.
- Carapace physical shown.


Time
M-08
O-08
N-08
D-18
L-18
05

b) with the dorsal side uppermost, dissect the specimen to display the structures used for the removal of undigested and excretory materials from the specimen's body. Draw and label (10marks)

A drawing showing the structures for the removal of undigested and excretory materials from the body of specimen G.


ignore structures on dorsal cuticle;
NA any structures or the gut drawn; /
labelled.
- other systems eg. nerves, reproductive structures of the head.

T - 0½
M - 0½
O - 0½
N - 0½
D - 0½
L - 0½
09



c) Cut out the gut and remove unnecessary tissue to display the structures in the thoracic region. Deflect the dorsal cuticle to the left. Draw and label. (14marks)

A drawing showing structures in the thoracic region/ thoracic tergum and sternum/ dorsal and ventral cuticles/ thoracic cuticles of specimen G with the gut/ alimentary canal removed/ cut out;



NA

- Ventral cuticle if more than 3 ganglia
- Dorsal if more than 3 heart chambers
- if gut or any part of gut drawn
- whole cockroach drawn & labelled
- Any structure on the head drawn and labelled

T-07

M-07

O-07

N-07

D-03

L-03

A-07

15

X2 - X5

About

Q You are provided with specimen K.

a) cut off the head of the specimen, then cut out one eye with as little tissue under it as possible. Place the eye on the slide with the cut side facing downwards. View under the low power of a microscope;

i) Describe the arrangement of the eye units. (5 marks)

Six-sided/hexagonal/polygonal; ✓

placed side by side/adjacent each other; ✓

Regularly arranged; ✓

Numerous/many; ✓

compact/closely packed/no space between each unit; ✓

ii) Draw four adjacent eye units. Do not label (6 marks)

Drawing showing four adjacent eye units of specimen K.

D-Hexagonal
A-Accuracy
only 4 units;



T-07
O-07
N-07
D-03
A-07
Na-07

56

iii) What is the significance of the arrangement of the units? (2 mcs)


Increases field of view; ✓
Increases sensitivity; ✓

02


with the dorsal side upper most, dissect the specimen to remove the digestive system. Display the structures remaining on the ventral cuticle. Draw and label. (12 mcs)

A drawing ^{showing} of the structures on the ventral cuticle of specimen K without the digestive system;

T-01
M-01
D-01
N-01
D-04
L-04
DC-01
13



Female:



Sketch, more to be done,