S4 Geography Paper 1

- 1. The greatest factor influencing population distribution in Tanzania is
 - a. presence of tsetse flies

- c. urbanisation.
- b. altitude.
- d. rainfall reliability.
- 2. Soft wood plantations in Uganda are mainly used to provide



- a. poles.
- b. tannin.

c. plywood.

c. temperature changes.

c. Refrigeration.

d. Canning.

- d. pulp.
- 3. Physical weathering in semi-arid areas of East Africa is mainly due to
 - a. overgrazing.
 - b. strong winds. d. de-vegetation.
- 4. Which of the following fish preservation methods are mostly used in East Africa?
 - a. Smoking.
 - b. Salting.
- 5. Which of the following industries is an example of a primary industry?
 - a. Textiles. c. Food processing.
 - b. Fishing. d. Tourism.
- 6. Which of the following features are found in the upper course of a river?
 - a. Levees and truncated spurs.
 - b. Pot holes and levees.
 - c. Waterfalls and interlocking spurs.
 - d. Waterfalls and slip-off slopes.
- 7. The Karamoja region is sparsely populated mainly because of
 - a. unreliable rainfall. c. poor soils.
 - b. high temperatures. d. food shortage.
- 8. The main two reasons for the dominance of subsistence farming in Uganda are
 - a. inadequate funds. c. poor transport.
 - b. conservative attitude. d. limited market.
- 9. Which of the following areas in East Africa is known for tea growing?
 - a. Liwale. b. Takaba.

с.	Maracha.	d.	Kericho.
10. Large areas of Central Tanzania are mainly used for growing annual crops due to			
a.	absence of markets.	c.	fertile soils.
b.	presence of pests and diseases.	d.	a long dry season.
11. Which of the following is the most widespread agent of erosion in East Africa?			
a.	wind action.	c.	wave action.
b.	glaciation.	d.	running water.
12. Lake Nakuru national park has been established mainly to conserve			
a.	white Rhinos.	c.	crocodiles.
b.	crested cranes.	d.	flamingoes.
Which one of the following mountains in East Africa was formed byfaulting?			
a.	Kenya.	c.	Longonot.
b.	Usambara.	d.	Kilimanjaro.
Which one of the following waterfalls is found on River Nile?			
a.	Kindaruma.	c.	Sezibwa.
b.	Bujjagali	d.	Kalambo.
13. Chemical weathering in East Africa mainly occurs in areas of			
a.	high latitudes.		
b.	very low rainfall totals.		
с.	very low temperatures.		
d.	high temperatures.		
The glaciated Rwenzori mountain landscape is mostly important for			
a.	hunting.		
b.	tourism.		
с.	agriculture.		
d.	settlement.		
The major factor influencing population distribution in East Africa is			
a.	soil.		
b.	drainage.		
с.	vegetation.		
d.	climate.		
The tourist industry in Uganda has improved mainly because of			
a.	rehabilitation of roads.		
b.	improved political climate.		
с.	increased advertisement.		
d. renovation of up-country hotels.			
Which one of the following types of lakes was formed due to glaciation?			
a.	Ox-bow lakes.		
b.	Crater lakes.		
с.	Lagoons.		

d. Tarns.

Savannah grasslands in East Africa are mainly used for

- a. bee-keeping.
- b. nomadic pastoralism.
- c. hunting.
- d. charcoal burning.

Which of the following exotic tree species is most widely planted in Uganda?

- a. Wattle.
- b. Cypress.
- c. Spruce.
- d. Eucalyptus.

Which of the following heavy industries are found in East Africa ?

- a. Textiles and food-processing.
- b. Ship-building and textiles.
- c. Ship-building and car assembly.
- d. Food processing and car assembly.

The major problem resulting from rapid urbanization in Kenya is

- a. unemployment.
- b. shortage of agricultural land.
- c. shortage of accommodation.
- d. poor sanitation.

The major source of energy used in Kenya's industries is

- a. geothermal.
- b. thermal.
- c. hydro-electricity.
- d. solar.

Which of the following explains why population density of Northern Kenya is lower than that around Lake Victoria?

- a. Hostile tribes and hot climate.
- b. Low rainfall and infertile soils.
- c. Low rainfall and thin vegetation.
- d. Hot climate and diseases.

Which of the following processes leads to the formation of lateritic soils?

- a. Leaching.
- b. Sedimentation.
- c. Deposition.
- d. Erosion.

Fishing on Lake Turkana has been greatly improved through

- a. introduction of new fish species.
- b. use of modern fishing gear.
- c. improvement of roads in the region.
- d. formation of co-operative unions for fishermen.

Which one of the following rocks is formed from animal remains?

- a. Sandstone.
- b. Coral limestone.
- c. Coal.
- d. Boulder clay.

A delta formed at the mouth of the river is a result of

- a. rejuvenation.
- b. salinisation.
- c. lateral erosion.
- d. deposition.

Which of the following lakes has the richest tilapia fishing ground in East Africa ?

- a. Wamala.
- b. Tanganyika.
- c. Kyoga.
- d. Naivasha.

Which of the following minerals are found in Tororo?

- a. Iron-ore and phosphates.
- b. Limestone and beryl.
- c. Iron-ore and beryl.
- d. Phosphates and limestone.

Isohyets are lines drawn on a map joining places of the same

- a. rainfall.
- b. temperature.
- c. humidity.
- d. pressure.

Which of the following is Uganda's leading invisible export?

- a. Skilled labour.
- b. Tourism.
- c. Coccaine.
- d. Hydro-electricity.

Which of the following is the major tourist attraction in East Africa?

- a. Climate.
- b. Flora and fauna.
- c. Mountain scenery.
- d. Cultural sites.

Which of the following crops in East Africa grow well in areas of low rainfall?

- a. Sisal
- b. Cotton
- c. Pyrethrum.
- d. Tea